





Protective 5 1

Gloves



# Safety

#### WHMIS Pictograms

# Not Controlled

# DOT Pictograms

# Not Regulated

#### SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name: **Duct Board**MSDS Manufacturer 44978-NAM
Number:

Synonyms: EnDuraGold® Product Use/Restriction: Duct Board

Manufacturer Name: Owens Corning Insulating Systems, LLC

Address: One Owens Corning Parkway

Toledo, OH 43659

Customer Service Phone Number:
Health Issues 1-800-GET-PINK or 1-800-438-7465

Information:
Technical Product 1-800-GET-PINK or 1-800-438-7465

Information:
Emergency Phone 1-419-248-5330 (after 5pm ET and weekends)

Number: CHEMTREC: 800-424-9300 (24 hours everyday)

Canutec: (613) 996-6666 (Canada 24 hours everyday)

Website: www.owenscoming.com
MSDS Creation Date: January 17, 2002
MSDS Revision Date: August 23, 2012



1
1
0
x

#### SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent	EC Num.
Fiber Glass (Wool)	65997-17-3	83 - 95 by weight	266-046-0
Cured Binder	N/A	3 - 15 by weight	
Fiber Glass (continuous filament, non-respirable)	65997-17-3	1 - 2 by weight	266-046-0

As manufactured continuous filament glass fibers are non-respirable. Continuous filament glass products that are chopped, crushed or severely mechanically processed during manufacturing or use may contain a very small amount of respirable particulate, some of which may be glass shards. See Section 8 for Exposure Limit Data.

Non-Hazardous Statement: The rem

The remaining components of this product are non-hazardous or are in a small enough quantity as to not meet regulatory thresholds for disclosure. These components contain no substances or impurities which

would influence the classification of this product.

#### SECTION 3 - HAZARDS IDENTIFICATION

#### **Applies to Product**

Emergency Overview: Exposure to dust may be irritating to eyes, nose, and throat.

Route of Exposure: Eye contact Skin contact Inhalation

Potential Health Effects:

Eye: May cause slight irritation.

Skin: May cause slight skin irritation.

Inhalation: May cause irritation of respiratory tract.

Ingestion: Ingestion of this product is unlikely.

Chronic Health Effects: There is no known chronic health effect connected with long-term use

or contact with this product.

Duct Board Product Code: 44978-NAM Revision:: 08/23/2012

Potential Environmental

There is no known ecological information for this material.

Aggravation of Pre-Existing Conditions:

Chronic respiratory or skin conditions may temporarily worsen from

exposure to this product.

#### SECTION 4 - FIRST AID MEASURES

Immediately flush eyes with plenty of water for at least 15 to 20 Eye Contact:

minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers.

Do not rub or scratch eyes.

If eye irritation persists, consult a specialist.

Skin Contact:

Wash off immediately with soap and cold water. DO NOT use warm water because this will open up the pores of the

Skin, which will cause further penetration of the fibers.
Use a wash cloth to help remove fibers.
DO NOT rub or scratch affected areas.
Remove contaminated clothing.

If irritation persists get medical attention.

Never use compressed air to remove fibers from the skin.

If fibers are seen penetrating from the skin, the fibers can be removed by applying and removing adhesive tape so that the fibers adhere to the tape and are pulled out of the skin.

Inhalation: Move to fresh air.

If symptoms persist, call a physician.

Ingestion:

Accidental ingestion of this material is unlikely. If this does occur, watch person for several days to make sure intestinal

blockage does not occur. Rinse mouth with water and drink water to remove fibers from the

throat

If symptoms persist, call a physician.

Note to Physicians: Treat symptomatically.

#### SECTION 5 - FIRE FIGHTING MEASURES

Flammable Properties: Non Flammable.

Flash Point: None.

Flash Point Method: Not applicable. Lower Flammable/Explosive Not applicable. Limit:

Upper Flammable/Explosive Limit:

Not applicable.

Extinguishing Media: dry chemical

foam

carbon dioxide (CO2)

water fog

Protective Equipment: Wear self-contained breathing apparatus (SCBA) and full fire fighting

Unusual Fire Hazards: Hydrogen chloride to be released from the PVC barrier and vinyl

facings during a fire.

Hazardous Combustion Byproducts:

Carbon monoxide. Carbon dioxide.

Other undetermined compounds could be released in small quantities.

Universal Fire And Explosion

Not available.

#### NFPA Ratings:

NFPA Health: NFPA Flammability: NFPA Reactivity: n

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Avoid contact with skin and eyes.

**Environmental Precautions:** Prevent further leakage or spillage if safe to do so.

Methods for containment: This material will settle out of the air.

Prevent from spreading by covering, diking or other means.

Use an industrial vacuum cleaner with a high efficiency filter to clean up Methods for cleanup:

dust and fiber contamination. Avoid dry sweeping.

Pick up and transfer to properly labeled containers.

Other Precautions: Does not apply.

**Duct Board** Product Code: 44978-NAM Revision:: 08/23/2012

#### SECTION 7 - HANDLING and STORAGE

Handling: Avoid dust formation. Do not breathe dust.

Wear personal protective equipment.

Keep product in its packaging until use to minimize potential dust generation.

Product should be kept dry and undercover. Storage:

Hygiene Practices: Wash hands before breaks and immediately after handling the product.

Remove and wash contaminated clothing before re-use.

#### SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls: Provide local exhaust and/or general ventilation to maintain exposure

below regulatory and recommended limits.

Dust collection system must be used in transferring operations, cutting or machining or other dust generating processes, such as using power

Vacuum or wet clean-up methods should be used.

Eye/Face Protection: Safety glasses with side-shields.

Skin Protection Description: Protective gloves

Long sleeved shirt and long pants.

Respiratory Protection:

When workers are facing airborne particulate/dust concentrations above the exposure limit they must use appropriate certified respirators. A properly fitted NIOSH approved disposable N 95 type dust respirator or better is recommended.

Other Protective: When the temperature of the surface being insulated exceeds 250  $^{\circ}\text{F}$ 

(121°C), including initial startup, the binder in these products may undergo various degrees of decomposition depending on the

temperature in the application.

The need for respiratory protection will vary according to the airborne concentration of the decomposition products released and accumulated

Wear the appropriate respiratory protection according to the conditions and exposure levels in the area.

General Hygiene Considerations: Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

#### EXPOSURE GUIDELINES

Ingredient	Guideline OSHA	<b>Guideline ACGIH</b>	Ontario Canada	Mexico	
Fiber Glass (Wool)	PEL-TWA: 1 f/cc (Respirable)	(Respirable)	TWAEV-TWA: 0.05 mg/m3 or 1 f/cc STEL: 0.6 mg/m3	3,	
Fiber Glass (continuous filament, non- respirable)	PEL-TWA: 1 f/cc (Respirable)	TLV-TWA: 1 f/cc (Respirable) 5 mg/m3 (Inhalable)	TWAEV: 1 f/cc (Respirable) 5 mg/m3 (Inhalable)	TWA: 10 mg/m3	

## SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance: Fibrous.

Odor: Faint resin odor.

Boiling Point: No Data Melting Point: No Data Specific Gravity: No Data

Solubility: Insoluble in water.

Vapor Density: No Data Vapor Pressure: No Data Evaporation Rate: No Data pH: No Data Viscosity: Not applicable.

Flash Point: None.

Flash Point Method: Not applicable.

#### SECTION 10 - STABILITY and REACTIVITY

Chemical Stability: Stable under normal conditions.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: None expected

Incompatible Materials: No materials to be especially mentioned.

**Duct Board** Product Code: 44978-NAM Revision:: 08/23/2012

See Section 5 of MSDS for hazardous decomposition products during a

#### SECTION 11 - TOXICOLOGICAL INFORMATION

#### Applies to Product :

Acute Toxicity:

Dusts may cause mechanical irritation to eyes and skin. Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation, and sneezing. High exposures may cause difficulty breathing, congestion, and chest tightness.

Carcinogens:							
	ACGIH	NIOSH	OSHA	IARC	NTP	Canada	MEXICO
Fiber Glass (Wool)	A3 Animal Carcinogen	No Data	No Data	Group 3 - Not Classifiable as to its Carcinogenicity to Humans.	glass wool is not		A3 Animal Carcinogen
Cured Binder	No Data	No Data	No Data	No Data	No Data		No Data
Fiber Glass (continuous filament, non- respirable)	A4 Not Classifiable as a Human Carcinogen	No Data	No Data	Group 3 - Not Classifiable as to its Carcinogenicity to Humans.			No Data

#### **Applies to Product:**

Sensitization: No information available.

Mutagenicity: No information available.

Reproductive Toxicity: No information available.

Teratogenicity: No information available.

Neurological Effects: No information available.

#### Fiber Glass (Wool):

Chronic Effects:

In October 2001, the International Agency for Research on Cancer (IARC) classified fiber glass wool as Group 3,"not classifiable as to its carcinogenicity to humans". The 2001 decision was based on human studies and animal research that have not shown an association between inhalation exposure to dust from fiber glass wool and the development of respiratory disease. This classification replaces the IARC finding in 1987 of a Group B designation "possibly carcinogenic to humans."

In May 1997, the American Conference of Governmental Industrial Hygienists (ACGIH) adopted an A3 carcinogen classification for glass wool fibers. The ACGIH A3 classification considers glass wool to be carcinogenic in experimental animals at relatively high doses, by routes of administration, at sites, or by mechanisms that it does not consider relevant to worker exposure. It also reviewed the available epidemiological studies and concluded that they do not confirm an increased risk of cancer in exposed humans. Overall, the ACGIH found that the available medical/scientific evidence suggests that glass wool is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

In 1994, the National Toxicology Program (NTP) classified glass wool (respirable size) as ""reasonably anticipated to be a human carcinogen"". This classification was primarily based upon the 1987 IARC classification. NTP is currently considering reclassifying this material.

#### **Cured Binder:**

Ingestion:

 $Ingestion - Rat\ LD50: 7\ gm/kg - [Autonomic\ Nervous\ System\ - Other (direct)\ parasympathomimetic\ Behavioral - Muscle\ weakness\ Lungs, Thorax,\ or\ Respiration\ - Respiratory\ depression](RTECS)$ 

#### SECTION 12 - ECOLOGICAL INFORMATION

#### **Applies to Product:**

Ecotoxicity: This material is not expected to cause harm to animals, plants or fish.

Bioaccumulation: Not available.

Biodegradation: Not available.

Mobility In Environmental Media:

## SECTION 13 - DISPOSAL CONSIDERATIONS

#### Applies to Product :

Waste Disposal: Dispose of in accordance with Local, State, Federal and Provincial

regulations.

Duct Board Revision: 08/23/2012 Product Code: 44978-NAM

Contaminated Packaging: Empty containers should be taken for local recycling, recovery or waste

RCRA Number: No EPA Waste Numbers are applicable for this product's components.

RCRA Characteristics: This material is not expected to be a characteristic hazardous waste

#### SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Name: Not Regulated. IATA Shipping Name: Not Regulated. Canadian Shipping Name: Not Regulated. IMDG Shipping Name: Not Regulated. ADR Shipping Name : Not Regulated. RID Shipping Name : Not Regulated. ICAO Shipping Name: Not Regulated. MEX Shipping Name : Not Regulated.

#### SECTION 15 - REGULATORY INFORMATION

Inventory Status

	Japan ENCS	EINECS	Philippines	China	South Korea
	Jupan Lites	Number	PICCS	Cillia	KECL
Fiber Glass (Wool)	Not listed	266-046-0	Listed	Listed	KE-17630
Cured Binder	Not listed			Listed	KE-35185
Fiber Glass (continuous filament, non-	Not listed	266-046-0	Listed	Listed	KE-17630
respirable)					

	Australia AICS	Australia ATCS Canada D	Canada DSL	TSCA Inventory	
			Status		
Fiber Glass (Wool)	Listed	Listed	Listed		
Cured Binder	Listed	Listed	Listed		
Fiber Glass (continuous filament, non-	Listed	Listed	Listed		
respirable)					

#### **Applies to Product:**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations. Canada Reg. Status:

Canada WHMIS:

CA PROP 65:

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA: This product does not contain any chemicals which are subject to the reporting requirements of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III (40CFR, Part 372).

Section 311/312 Hazard Categories:

Acute Health Hazard: Chronic Health Hazard: Risk of ignition: Yes Yes No Sudden Release of Pressure Hazard: Reactive Hazard:

Clean Air Act: This product does not contain any Hazardous Air Pollutants (HAPs).

Fiber Glass (Wool):

EC Number: 266-046-0 Fiber Glass (continuous filament, non-respirable):

EC Number: 266-046-0

State Right To Know

state right to know							
	RI	MN	IL	PA	MA		
Fiber Glass (Wool)	Listed	Listed	Listed	Listed	Listed		
Cured Binder	No Data						
Fiber Glass (continuous filament, non-	No Data	Listed	No Data	No Data	No Data		
respirable)							

**Duct Board** Product Code: 44978-NAM Revision:: 08/23/2012

	NJ		
Fiber Glass (Wool)	No Data		
Cured Binder	No Data		
Fiber Glass (continuous filament, non-	No Data		
respirable)			

## SECTION 16 - ADDITIONAL INFORMATION

HMIS Fire Hazard: 1
HMIS Fire Hazard: 1
HMIS Reactivity: 0
HMIS Personal Protection: X

MSDS Creation Date: January 17, 2002
MSDS Revision Date: August 23, 2012

MSDS Revision Notes: Update tox, Calif Prop 65 and carcinogen info

MSDS Author: KK

Copyright© 1996-2011 Actio Corporation. All Rights Reserved.

Duct Board Product Code: 44978-NAM Revision:: 08/23/2012