and Local Calls

# MATERIAL SAFETY DATA SHEET

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION** 

PRODUCT NAME: Eco-Mastic

PRODUCT NUMBER: 55-50 (Covers All Colors except Grey - See 55-51 for Grey)



# MON-ECO INDUSTRIES. INCORPORATED

TRADE NAME: Eco-Mastic		PRODUCT DESCRIPTION:		
GENERAL USE: Paint		Soft paste, mild odor. All colors except grey (55-51).		
CHEMICAL FAMILY: Water Based Paint				
MANUFACTURER				
Mon-Eco Industries, Inc.		EFFECTIVE DATE: 11 October 2010		
TELEPHONE NUMBER (General Inquiries)		DATE OF EXPIRATION:	10 October 2013	
732-257-7942		SUPERSEDES DATE:	12 August 2010	
ADDRESS (NUMBER, STREET, P.O. BOX)		CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBERS		
5 Joanna Ct			1-800-255-3924	813-248-0585
(CITY, STATE AND ZIP CODE)	COUNTRY	ChemTel	North America	International
Fact Brunewick, N I 08816	LICA	INC.	(Toll Free)	and Local Calls

**SECTION 2-HAZARDS IDENTIFICATION** 

#### EMERGENCY OVERVIEW

East Brunswick, NJ 08816

Product mists may cause irritation to respiratory system. Product may be a slight irritant to eyes and skin. Ingestion may result in gastro-intestinal distress. Product is non-flammable and poses low acute toxicity. Product is minimally harmful to aquatic environments; do not dispose of product in bodies of water.

JS / CANADA HAZARD SYMBOL(S) EUROPEAN (GHS) HAZARD SYMBOLS

USA

None None

HMIS HAZARD RATINGS

0 = INSIGNIFICANT, 1 = SLIGHT, 2 = MODERATE 3 = HIGH, 4 = EXTREME \* - CHRONIC HEALTH HAZARD

HEALTH:	1
FLAMMABILITY:	0
PHYSICAL HAZARD:	0

(Toll Free)

REQUIRED PERSONAL PROTECTIVE EQUIPMENT:

**HMIS PERSONAL PROTECTIVE EQUIPMENT LETTER:** 

B/E



Safety glasses and gloves are suggested for general handling (B). Additionally, a dust respirator is recommended for spraying operations (E).

RISK PHRASES

None.

SAFETY PHRASES

None

# POTENTIAL HEALTH EFFECTS

# **ACUTE EXPOSURE EFFECTS**

Respiratory tract irritation may occur from mists. Harmful if inhaled in large quantities; wear respirator/dust mask while spraying. May cause central nervous system effects. Overexposure may result in headache and dizziness and/or drowsiness.

SKIN:

May cause mild skin irritation.

FYFS:

May cause mild to moderate eye irritation.

INGESTION:

Causes gastrointestinal distress if ingested, with nausea and vomiting.

#### CHRONIC EXPOSURE EFFECTS

A possible risk of pulmonary difficulties such as shortness of breath, coughing, and wheezing exists for this product with prolonged CARCINOGENICITY:

> IARC - Titanium dioxide = Group 2B. NTP - no listings. California Proposition 65 - Yes ESIS - no listings.

PRODUCT NAME: Eco-Mastic

PRODUCT NUMBER: 55-50 (Covers All Colors except Grey - See 55-51 for Grey)

	, ,		· <b>,</b>		
SECTION 3 - HAZARDOUS INGREDIENTS					
Hazardous Components	% (by Weight)	CAS#	EINECS#	Hazard Symbol	RISK PHRASES (Full Text Section 2)
Titanium Dioxide	5-15	13463-67-7	236-675-5	None	None

NOTES: This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Directive 1997/2006/EC (REACH). Hazard symbols and risk phrases are based on maximum listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) or the European (GHS) directive 91/155/EEC and are considered trade secrets under US Federal Law (29CFR and 40CFR), Canadian Law (Health Canada Legislation), and European Union Directive 67/548/EEC.

## SECTION 4 - FIRST AID MEASURES

### INHALATION:

Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get emergency medical aid for rare cases of breathing difficulty or cessation, or where victim is not conscious and alert to surroundings.

#### EYES:

Remove contact lenses if present. Immediately flush eyes with plenty of potable water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If irritation is severe or persistent, consult a physician.

#### SKIN:

Wash affected areas with soap and warm water. Get medical aid if irritation develops or persists.

#### INGESTION:

**DO NOT INDUCE VOMITING!!!** If victim is conscious and alert to surroundings, rinse mouth thoroughly and drink 1-2 glasses of water. Seek emergency medical attention immediately.

### SECTION 5 - FIRE FIGHTING MEASURES

DATA RELATED TO FIRE:

FLASH POINT: >200°F / 94°C. AUTO-IGNITION TEMPERATURE: NA

FLAMMABLE/EXPLOSIVE LIMITS: LOWER: NA UPPER: NA

SENSITIVITY TO MECHANICAL IMPACT/ STATIC DISCHARGE: NONE

#### GENERAL HAZARDS:

May combust under extreme fire conditions. Heated and/or ignited product may produce irritating and/or toxic fumes. Wear selfcontained breathing apparatus and full chemical firefighting gear.

#### SUITABLE EXTINGUISHING MEDIA:

Water Spray, Foam, CO2, Dry Chemical - any extinguishing media is acceptable.

UNSUITABLE EXTINGUISHING MEDIA:

None.

#### FIRE FIGHTING PROCEDURES:

Firefighters must wear a self contained breathing apparatus and full chemical firefighting gear when fighting chemical fires. Water may be used to cool off fire-exposed containers to prevent rupture.

## UNUSUAL FIRE AND EXPLOSION HAZARDS:

Heated containers may rupture and release contents, forming a potentially slippery surface.

### HAZARDOUS COMBUSTION PRODUCTS:

Carbon, nitrogen, and sulfur oxides; titanium fumes may form in small amounts.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

## STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Cleanup personnel should wear Personal Protective Equipment. For small spills, wipe and clean up spill; place towels in general waste container. For large spills, absorb with inert material (vermiculite, sand, diatomaceous earth) and place in waste container. Dispose of used absorbent in a licensed and permitted facility, preferably by incineration with exhaust scrubbers being used. Avoid contamination of waterways, sewers etc with this product.

# SECTION 7 - HANDLING AND STORAGE

# PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

Handle product while wearing Personal Protective Equipment and provide adequate ventilation. Avoid contact with eyes. Avoid excess temperatures. Keep out of reach of children. Store in a tightly closed container away from incompatible materials. Do Not Freeze!

PRODUCT NAME: Eco-Mastic

PRODUCT NUMBER: 55-50 (Covers All Colors except Grey - See 55-51 for Grey)

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

SECTION 8-EXPOSORE CONTROLS/PERSONAL PROTECTION			
Component	CAS#	ACGIH Exposure Limits (mg/m3 unless otherwise noted)	OSHA Exposure Limits (mg/m3 unless otherwise noted)
Titanium Dioxide	13463-67-7	10	15

# PERSONAL PROTECTION

RESPIRATORY PROTECTION:

For spraying operations or when ventilation is insufficient, a dust respirator is recommended in order to prevent inhalation of particulate matter. Follow OSHA/NIOSH guidelines in choosing a respirator.

PROTECTIVE GLOVES:

Wear gloves made of chemically resistant material such as nitrile or neoprene.

EYE PROTECTION:

Wear safety glasses with splash protective side shields or goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

None.

ENGINEERING CONTROLS:

Provide general ventilation sufficient to control airborne concentration below the TLV/TWA's listed.

WORK / HYGIENIC PRACTICES:

Wash hands before eating, drinking, smoking and using the toilet. Launder contaminated clothing before re-use. Dispose of contaminated leather footwear.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES			
APPEARANCE AND ODOR	VAPOR PRESSURE		
Soft paste, mild odor. All colors except grey.	17 mm Hg		
ODOR THRESHOLD	SPECIFIC GRAVITY (WATER = 1)		
Not Established	1.34		
FREEZING / MELTING POINT	BOILING POINT		
<32°F / <0°F	212F / 100°C		
SOLUBILITY IN WATER	COEFFICIENT OF WATER / OIL DISTRIBUTION		
Dilutable when wet	Not Determined		
рН	SOLUBILITY IN ORGANIC SOLVENTS		
Not Determined	Variable - dependent upon solvent		
FLASH POINT	VISCOSITY		
NA	Not Determined		
FLAMMABLE LIMITS	VAPOR DENSITY (AIR = 1)		
LEL: NA UEL: NA	>1		
AUTOIGNITION TEMPERATURE	EVAPORATION RATE (Water = 1)		
NA	~1		

VOLATILE ORGANIC COMPOUND (VOC) INFORMATION

0.52 lbs/ gallon or 62 g / L (<10% volatile by weight)

NOTES: None

SECTION 10 - STABILITY AND REACTIVITY			
STABILITY	CONDITIONS TO AVOID:		
Stable under normal conditions excess heat, incompatible materials.			
INCOMPATIBILITY (MATERIALS TO AVOID):			
Strong oxidizers, water-reactive substances, strong mineral acids (sulfuric, nitric, perchloric, etc.)			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS:			
Carbon, nitrogen, and sulfur oxides; titanium fumes may form in small amounts under fire conditions only.			
HAZARDOUS POLYMERIZATION: CONDITIONS TO AVOID:			
Will not occur None related to hazardous polymerization			

PRODUCT NAME:	Eco-Mastic			
PRODUCT NUMBER:	55-50 (Covers All Colors except Grey - See 55-51 for Grey)			
	SECTION 11 - T	OXICOLOGICAL INFORMATION	l	
		Complete Product		
Oral LD <sub>50</sub>	LD50 is unknown, but	LD50 is unknown, but overall toxicity is expected to be low.		
Dermal LD <sub>50</sub>	Not known - product m	nay be slightly irritating by contact with ski	in.	
Inhalation LC <sub>50</sub>	Not known - wear dust mask/respirator to avoid particulate matter from spraying operations.			
Irritation / Sensitization	Potential chemical and mechanical irritant to eyes and respiratory tract; may cause slight dermal irritation.			
Carcinogenicity	Not known for complete product. For Titanium Dioxide = IARC Group 2B.			
Mutagenicity	Not known			
Reproductive Toxicity	Not known			
Teratogenicity	Not known			
	Pr	roduct Components		
Component	CAS#	LD50 of Ingredient (Oral, Rat - unless otherwise specified)	LC50 of Ingredient (Inhalation, Rat - unless otherwise specified)	
Titanium Dioxide	13463-67-7	Not established	Not Established	
	SECTION 12 -	ECOLOGICAL INFORMATION		

Product may pose slight risk to aquatic environments. Do not release into bodies of water.

### SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Place in an appropriate disposal facility in compliance with all local, state, and federal regulations. User is responsible for compliance with all laws and regulations. US EPA Waste Numbers: None.

# **SECTION 14 - TRANSPORT INFORMATION**

PROPER SHIPPING NAME: Not regulated for transport

DOT HAZARD CLASS / Pack Group: None IATA HAZARD CLASS / Pack Group: None

REFERENCE: 49CFR, IATA, IMDG IMDG HAZARD CLASS: None

UN / NA IDENTIFICATION NUMBER: RID/ADR HAZARD CLASS: None None

LABEL: ADR CLASSIFICATION: None None HAZARD SYMBOLS: ADR EMERGENCY ACTION CODE: None None

Hazard Identification Number (HIN): None TDG Class / Pack Group:

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

# **SECTION 15 - REGULATORY INFORMATION**

TSCA (USA - Toxic Substance Control Act): Components Listed on the TSCA inventory.

SARA TITLE III (USA - Superfund Amendments and Reauthorization Act):

Acute Health: NO Chronic Health: NO Fire: NO Sudden Release of Pressure: NO

Reactive: NO

SARA 313 REPORTABLE INGREDIENTS: None

CERCLA (USA - Comprehensive Response Compensation and Liability Act): No RQ for product. State Right to Know Laws: Titanium Dioxide is on the right-to-know lists of CA, MA, MN, NJ, and PA.

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: This material may contain chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm, and may be subject to the requirements of California Proposition 65 (CA Health & Safety Code Section 25249.5).

PRODUCT NAME: Eco-Mastic

PRODUCT NUMBER: 55-50 (Covers All Colors except Grey - See 55-51 for Grey)

### SECTION 15 - REGULATORY INFORMATION (Continued)

CPR (Canadian Controlled Products Regulations): This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations. WHMIS Classifications: None

IDL (Canadian Ingredient Disclosure List): Titanium Dioxide is listed on the CIDL.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): Components listed on the DSL.

EINECS (European Inventory of Existing Commercial Chemical Substances): Referenced.

WGK Water Quality Index:

EU RISK PHRASES

None

FU SAFETY PHRASES

None

# **SECTION 16 - OTHER INFORMATION**

Legend:

ACGIH American Congress of Government Industrial Hygienists

CAS Chemical Abstracts Service

EINECS European Inventory of Existing Commercial Chemical Substances

HMIS Hazardous Materials Identification System
IARC International Agency for Research on Cancer
NA Not Available ND Not Determined
NE Not Established NR Not Reported
NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

REVISION SUMMARY: Revised 11 October 2010. LB/JTV.

#### MSDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.